Technical

Books

Available

Online!

books1.com

PX302 Low Pressure

15 to 1000 psl

7.1 (0.28)

# GENERAL PURPOSE 100 MILLIVOLT **OUTPUT PRESSURE SENSOR** AVAILABLE IN ABSOLUTE AND GAGE MODELS

**EOMEGA** 

PX302/PX312 Series 15 to 10,000 psi 1 to 690 Bar

> Starts at \$215



1 m UNSHIELDED JACKETED CABLE
#22 AWG COLOR CODED WIRE
WIRE CODE:
RED = +EXCITATION
BLACK = -EXCITATION
GREEN = +OUTPUT
WHITE = -OUTPUT

**Dimensions:** 

mm (in)

✓ Rugged All Stainless Steel Construction

PX312-100GV, \$235, DIN connector

included.

- ✓ Integral Strain Relief for Cable or DIN Connector
- High Sensitivity 10 mV/V Output
- ✓ NEMA 3 Enclosure

### **SPECIFICATIONS**


Excitation: 10 Vdc (5 to 15 Vdc limits)

Output: 10 mV/V ratiometric 100 mV ±1 mV @ 10 Vdc Accuracy: 0.25% BFSL


(linearity, hysteresis, repeatability)

Zero Balance: 0 mV ±2 mV

Input Resistance: 15,000  $\Omega$  maximum Long-Term Stability: ±0.5% FS Typical Life: 100 million cycles Operating Temperature: -18 to 71°C (0 to 160°F)



(1.75)



# GENERAL PURPOSE PRESSURE SENSOR

**Compensated Temperature:** -1 to 71°C (30 to 160°F)

Total Thermal Effects: ±1% FS max Proof Pressure: 200%, 13,000 psi max


Response Time: 1 ms Shock: 50 g @ 11 ms **Vibration:** 15 g 10 to 2000 Hz Wetted Parts: 17-4 PH and 300 Series stainless steel Pressure Port: 1/4 NPT male **Electrical Connection:** 

PX302: 1 m (3') 4-conductor

unshielded cable PX312: Miniature DIN connector (included)

**Weight:** 131 g (4.6 oz) to 1000 psi 190 g (6.7 oz) from 1000 psi

PX302-015GV, \$215, shown with PS-4G snubber, \$10. Shown approximately actual size.



from fluid spikes/hammers! 1/4 NPT Pressure

Snubbers protect sensors

PS-4G = Gas PS-4E = Lt Oil

PS-4D = Dense Lq

## MOST POPULAR MODELS HIGHLIGHTED!

To Order (Specify Model Number)							
psi	bar	CABLE STYLE	PRICE	CONNECTOR STYLE	PRICE	COMPATIBLE METERS*	
GAGE PRESSURE RANGES							
0 to 15	0 to 1.0	PX302-015GV	\$215	PX312-015GV	\$235	DP25B-S, DP41-S, DPiS Series	
0 to 30	0 to 2.1	PX302-030GV	215	PX312-030GV	235	DP25B-S, DP41-S, DPiS Series	
0 to 50	0 to 3.4	PX302-050GV	215	PX312-050GV	235	DP25B-S, DP41-S, DPiS Series	
0 to 100	0 to 6.9	PX302-100GV	215	PX312-100GV	235	DP25B-S, DP41-S, DPiS Series	
0 to 200	0 to 13.8	PX302-200GV	215	PX312-200GV	235	DP25B-S, DP41-S, DPiS Series	
0 to 300	0 to 20.7	PX302-300GV	215	PX312-300GV	235	DP25B-S, DP41-S, DPiS Series	
0 to 500	0 to 34.5	PX302-500GV	215	PX312-500GV	235	DP25B-S, DP41-S, DPiS Series	
0 to 1000	0 to 69.0	PX302-1KGV	215	PX312-1KGV	235	DP25B-S, DP41-S, DPiS Series	
0 to 2000	0 to 138	PX302-2KGV	215	PX312-2KGV	235	DP25B-S, DP41-S, DPiS Series	
0 to 3000	0 to 207	PX302-3KGV	215	PX312-3KGV	235	DP25B-S, DP41-S, DPiS Series	
0 to 4000	0 to 276	PX302-4KGV	215	PX312-4KGV	235	DP25B-S, DP41-S, DPiS Series	
0 to 5000	0 to 345	PX302-5KGV	215	PX312-5KGV	235	DP25B-S, DP41-S, DPiS Series	
0 to 7500	0 to 517	PX302-7.5KGV	215	PX312-7.5KGV	235	DP25B-S, DP41-S, DPiS Series	
0 to 10,000	0 to 690	PX302-10KGV	215	PX312-10KGV	235	DP25B-S, DP41-S, DPiS Series	
ABSOLUTE PRESSURE RANGES							
0 to 15	0 to 1.0	PX302-015AV	\$215	PX312-015AV	\$235	DP25B-S, DP41-S, DPiS Series	
0 to 30	0 to 2.1	PX302-030AV	215	PX312-030AV	235	DP25B-S, DP41-S, DPiS Series	
0 to 50	0 to 3.4	PX302-050AV	215	PX312-050AV	235	DP25B-S, DP41-S, DPiS Series	
0 to 100	0 to 6.9	PX302-100AV	215	PX312-100AV	235	DP25B-S, DP41-S, DPiS Series	
0 to 200	0 to 13.8	PX302-200AV	215	PX312-200AV	235	DP25B-S, DP41-S, DPiS Series	
0 to 300	0 to 20.7	PX302-300AV	215	PX312-300AV	235	DP25B-S, DP41-S, DPiS Series	

Comes with complete operator's manual. \* See section D for compatible meters.

Ordering Example: PX302-050GV, pressure transducer with 50 psig full scale rating and PS-4E pressure snubber for water and light oils, \$215 + 10 = \$225.

## **ACCESSORIES**

MODEL NO.	PRICE	DESCRIPTION		
PS-4E	\$10	Pressure snubber for water or light oils		
PS-4D	10	Pressure snubber for dense liquids or oils		
PS-4G	10	Pressure snubber for gases and steam		
MS-1808	\$125	Reference Book: Plant Engineer's Handbook		

Your One-Stop Source for Process Measurement and Control!

One Omega Drive | Stamford, CT 06907 | 1-888-TC-OMEGA (1-888-826-6342) | info@omega.com

# www.omega.com



## **UNITED STATES**

www.omega.com 1-800-TC-OMEGA Stamford, CT.

#### **CANADA**

www.omega.ca Laval(Quebec) 1-800-TC-OMEGA

#### **GERMANY**

www.omega.de Deckenpfronn, Germany 0800-8266342

#### UNITED KINGDOM

www.omega.co.uk Manchester, England 0800-488-488

#### **FRANCE**

www.omega.fr Guyancourt, France 088-466-342

#### **CZECH REPUBLIC**

www.omegaeng.cz Karviná, Czech Republic 596-311-899

#### **BENELUX**

www.omega.nl Amstelveen, NL 0800-099-33-44



# More than 100,000 Products Available!

# Temperature

Calibrators, Connectors, General Test and Measurement Instruments, Glass Bulb Thermometers, Handheld Instruments for Temperature Measurement, Ice Point References, Indicating Labels, Crayons, Cements and Lacquers, Infrared Temperature Measurement Instruments, Recorders Relative Humidity Measurement Instruments, RTD Probes, Elements and Assemblies, Temperature & Process Meters, Timers and Counters, Temperature and Process Controllers and Power Switching Devices, Thermistor Elements, Probes and Assemblies, Thermocouples Thermowells and Head and Well Assemblies, Transmitters, Wire

### Flow and Level

Air Velocity Indicators, Doppler Flowmeters, Level Measurement, Magnetic Flowmeters, Mass Flowmeters, Pitot Tubes, Pumps, Rotameters, Turbine and Paddle Wheel Flowmeters, Ultrasonic Flowmeters, Valves, Variable Area Flowmeters, Vortex Shedding Flowmeters

# pH and Conductivity

Conductivity Instrumentation, Dissolved Oxygen Instrumentation, Environmental Instrumentation, pH Electrodes and Instruments, Water and Soil Analysis Instrumentation

# Data Acquisition

Auto-Dialers and Alarm Monitoring Systems, Communication Products and Converters, Data Acquisition and Analysis Software, Data Loggers Plug-in Cards, Signal Conditioners, USB, RS232, RS485 and Parallel Port Data Acquisition Systems, Wireless Transmitters and Receivers

# • Pressure, Strain and Force

Displacement Transducers, Dynamic Measurement Force Sensors, Instrumentation for Pressure and Strain Measurements, Load Cells, Pressure Gauges, Pressure Reference Section, Pressure Switches, Pressure Transducers, Proximity Transducers, Regulators, Strain Gages, Torque Transducers, Valves

## Heaters

Band Heaters, Cartridge Heaters, Circulation Heaters, Comfort Heaters, Controllers, Meters and Switching Devices, Flexible Heaters, General Test and Measurement Instruments, Heater Hook-up Wire, Heating Cable Systems, Immersion Heaters, Process Air and Duct, Heaters, Radiant Heaters, Strip Heaters, Tubular Heaters