

MATERIAL SAFETY DATA SHEET
BLUE CORAL DRI-CLEAN PLUS W/ODOR ELIMINATOR

1. PRODUCT AND COMPANY IDENTIFICATION

MSDS Number: 24249

Version Date: 5/1/2002

Product Name: BLUE CORAL DRI-CLEAN PLUS W/ODOR ELIMINATOR

Product Use: Interior fabric cleaner

Synonyms: DC22

Manufacturer

Blue Coral/Slick 50 Ltd.
5700 South Lee Road
Maple Heights, OH 44137
USA

Phone Numbers

Medical Emergency: 1-800-546-6040
Transportation Emergency (USA): 1-800-535-5053
Transportation Emergency (International):
1-352-323-3500 (Call Collect)
MSDS Assistance: 1-800-546-6227
Fax On Demand: 1-800-546-6227
Technical Assistance: 1-800-416-1600
Customer Service: Not applicable
Fax Number: 713-217-3181
Internet Address: www.MSDS.PZLQS.com

2. COMPONENT INFORMATION

Component	CAS No.	Weight Percent Range	Hazardous in Blend
WATER	7732-18-5	70 - 95	No
SURFACTANTS	MIXTURE	< 10	No
CORROSION INHIBITORS	MIXTURE	< 5	No
ODOR CONTROL AGENTS	MIXTURE	< 20	No
HYDROCARBON PROPELLANT	TRADESECRET	1 - 10	Yes

This product is **HAZARDOUS** according to OSHA 29 CFR 1910.1200.

Hazards:

Flammable/Combustible **Acute Toxin** **Chronic Toxin** **Carcinogen**
Pressure **Reactive** **Exposure Limit** **Target Organ** **Other**

Other: No information available

3. HAZARDS IDENTIFICATION

Emergency and Hazards Overview

CAUTION: CONTENTS UNDER PRESSURE. CONTACT MAY IRRITATE EYES.

NFPA Ratings: **Health** 1 **Flammability** 1 **Reactivity** 0

Primary Route of Exposure: **Skin** **Inhalation** **Eye**

Health Effect Information

Eye Contact: Avoid eye contact. This product has not been tested for acute eye hazards. May be irritating to the eyes upon direct contact.

Skin Contact: This product is expected to be practically non-irritating upon direct contact.

Inhalation: This product is not expected to pose an inhalation hazard under conditions of foreseeable use.

Ingestion: Ingestion is unlikely for aerosol products. This product is relatively non-toxic by ingestion.

MATERIAL SAFETY DATA SHEET

MSDS Number: 24249

BLUE CORAL DRI-CLEAN PLUS W/ODOR ELIMINATOR

Page 2 of 7

Medical Conditions Aggravated by Exposure: None expected.

Other: No information available

4. FIRST AID INFORMATION

Eye Contact: Immediately flush eyes with large amounts of water and continue flushing until irritation subsides. If irritation persists, seek medical attention.

Skin Contact: No treatment is necessary under ordinary circumstances.

Inhalation: This material does not present any known inhalation hazard.

Ingestion: Ingestion is unlikely for aerosol products. Accidental spraying into the mouth will not result in any harmful effects.

Notes to Physician: No information available

Other: No information available

5. FIRE AND EXPLOSION INFORMATION

Flammable Properties

Flash Point (aerosol concentrate): None

Test Method: ASTM D 3828-81-Setaflash

Flash Point (aerosol concentrate): None

Test Method: No information available

Flame Extension: 0", no flashback

Test Method: CPSC 1500.45

Flammable Limits in Air

Upper Percent: No data available

Lower Percent: No data available

Autoignition Temperature: No data available

Test Method: No information available

NFPA Classification: No information available

Extinguishing Media: This material is nonflammable.

Fire Fighting Measures

Special Fire Fighting Procedures and Equipment: This material is nonflammable.

Unusual Fire and Explosion Conditions: This material is nonflammable. Caution! Contents are under pressure and can explode when exposed to heat or flames. Pressurized container: Protect from sunlight and do not expose to temperatures exceeding 50 C. Do not pierce or burn even after container is empty.

Hazardous Combustion By-Products: None

Other: No information available

6. ACCIDENTAL RELEASE MEASURES

Personnel Safeguards: None required

Regulatory Notifications: No notification required

Containment and Clean up: No special cleanup procedures are necessary.

Other: No information available

MATERIAL SAFETY DATA SHEET

MSDS Number: 24249

BLUE CORAL DRI-CLEAN PLUS W/ODOR ELIMINATOR

Page 3 of 7

7. HANDLING AND STORAGE INFORMATION

Handling: Contents under pressure and can explode when exposed to heat or open flame. Caution!--Do not puncture or incinerate.

Storage: Do not store at temperatures greater than 120 F.

Empty Container Warnings

Drums: Not applicable

Plastic: Not applicable

Other: No information available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION INFORMATION

Exposure Limits and Guidelines

Component	CAS No.	Exposure Limit
HYDROCARBON PROPELLANT	TRADESECRET	OSHA - PEL: TWA 1000 ppm

Personal Protective Equipment

Eye/Face Protection: Eye protection is not required under conditions of normal use. If material is handled such that it could be splashed into eyes, wear plastic face shield or splash-proof safety goggles.

Skin Protection: Skin protection is not required under conditions of normal use.

Respiratory Protection: Respiratory protection is not required under conditions of normal use.

Personal Hygiene: No special requirements

Engineering Controls / Work Practices

Ventilation: General room ventilation is normally sufficient.

Other: No information available

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Aerosol	
Odor: Fruity	Vapor Pressure: 43 - 48 psig @ 70 F
Physical state: Gas	Vapor Density (air=1): > 1
pH: No data available	Percent Volatile by Volume: No data available
Boiling Point: -44 - 212 F, -42.2 - 100 C	Volatile Organic Content: No data available
Melting Point: No data available	Molecular Weight: No data available
Specific Gravity: 0.97	Average Carbon Number: No data available
Pour Point: No data available	Viscosity @ 100 F: Not applicable
	Viscosity @ 40 C: Not applicable
Solubility in Water: Soluble in water	
Octanol / Water Coefficient: Log K_{ow} = No data available	

10. STABILITY AND REACTIVITY INFORMATION

Chemical Stability: Stable

Conditions to Avoid: None

MATERIAL SAFETY DATA SHEET
BLUE CORAL DRI-CLEAN PLUS W/ODOR ELIMINATOR

MSDS Number: 24249

Page 4 of 7

Incompatible Materials to Avoid: None

Other: No information available

11. TOXICOLOGICAL INFORMATION

Primary Eye Irritation: No information available

Primary Skin Irritation: No information available

Acute Dermal Toxicity: No information available

Subacute Dermal Toxicity: No information available

Dermal Sensitization: No information available

Inhalation Toxicity: No information available

Inhalation Sensitization: No information available

Oral Toxicity: No information available

Mutagenicity: No information available

Carcinogenicity: No information available

Reproductive and Developmental Toxicity: No information available

Teratogenicity: No information available

Immunotoxicity: No information available

Neurotoxicity: No information available

Other: No information available

12. ECOLOGICAL INFORMATION

Aquatic Toxicity: No information available

Terrestrial Toxicity: No information available

Chemical Fate and Transport: No information available

Other: No information available

13. DISPOSAL INFORMATION

Regulatory Information: Dispose of residual products and empty containers responsibly.

Waste Disposal Methods: Waste material may be landfilled or incinerated at an approved facility.

Other: No information available

MATERIAL SAFETY DATA SHEET

MSDS Number: 24249

BLUE CORAL DRI-CLEAN PLUS W/ODOR ELIMINATOR

Page 5 of 7

14. TRANSPORTATION INFORMATION

U.S. Department of Transportation (DOT)

Highway / Rail (Bulk): NOT APPLICABLE

Highway / Rail (Non-Bulk): CONSUMER COMMODITY, ORM-D

The DOT description is provided to assist in the proper shipping classification of this product and may not be suitable for all shipping descriptions.

International Information

Vessel: IMDG Regulated: X IMDG Not Regulated:

Air: ICAO Regulated: X ICAO Not Regulated:

Other: No information available

15. Regulatory Information

Regulatory Lists Searched: The components listed in Section 2 of this MSDS were compared to substances that appear on the following regulatory lists. Each list is numerically identified. See Regulatory Search Results below.

Health & Safety: 10 - IARC carcinogen, 11 - NTP carcinogen, 12 - OSHA carcinogen, 15 - ACGIH TLV, 16 - OSHA PEL, 17 - NIOSH exposure limit, 20 - US DOT Appendix A, Hazardous substances, 22 - FDA 21 CFR Total food additives, 23 - NFPA 49 or 325

Environmental: 30 - CAA 1990 Hazardous air pollutants, 31 - CAA Ozone depletors, 33 - CAA HON rule, 34 - CAA Toxic substance for accidental release prevention, 35 - CAA Volatile organic compounds (VOC's) in SOCOMI, 41 - CERCLA / SARA Section 302 extremely hazardous substances, 42 - CERCLA / SARA Section 313 emissions reporting, 43 - CWA Hazardous substances, 44 - CWA Priority pollutants, 45 - CWA Toxic pollutants, 46 - EPA Proposed test rule for hazardous air pollutants, 47 - RCRA Basis for listing - Appendix VII, 48 - RCRA waste, 49 - SDWA - (SMCLs)

International: 50 - Canada - WHMIS Classification of substance, 54 - Mexico - Drinking water - ecological criteria, 55 - Mexico - Wastewater discharges, 56 - US - TSCA Section (12)(b) - export notification

State Lists: 60 - CA - Proposition 65, 61 - FL - Substances, 62 - MI - Critical materials, 63 - MA - RTK, 64 - MA - Extraordinarily hazardous substances, 65 - MN - Hazardous substances, 66 - PA - RTK, 67 - NJ - RTK, 68 - NJ - Environmental hazardous substances, 69 - NJ - Special hazardous substances

Inventories: 80 - Canada - Domestic substances, 81 - European - EINECS, 82 - Japan - ENCS, 83 - Korea - Existing and evaluated chemical substances, 84 - US - TSCA, 85 - China Inventory

Regulatory Search Results:

WATER: 80, 81, 83, 84, 85

U.S. TSCA Inventory: All components of this material are on the US TSCA Inventory.

SARA Section 313: Consumer products are not regulated under SARA, Title III, Section 313.

IARC: No information available

MATERIAL SAFETY DATA SHEET

MSDS Number: 24249

BLUE CORAL DRI-CLEAN PLUS W/ODOR ELIMINATOR

Page 6 of 7

SARA 311 / 312 Categories

Acute: ___ Chronic: ___ Fire: ___ Pressure: X Reactive: ___

Not Regulated: ___

Canadian WHMIS Classification

Class A - Compressed gas

European Union Classification

Hazard Symbols:

"3" Aerosol

Risk Phrases:

No classification recommended

Safety Phrases:

S2: Keep out of the reach of Children.

S25: Avoid contact with eyes.

Other: No information available

16. OTHER INFORMATION

Health and Environmental Label Language

Front Label:

CAUTION: CONTENTS UNDER PRESSURE. CONTACT MAY IRRITATE EYES.

Read carefully other cautions on back.

Back Label:

CAUTION: Prolonged exposure to sunlight or heat may cause bursting. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120 F. Avoid eye contact. Use with adequate ventilation.

FIRST AID: For eye contact, flush thoroughly with water for 15 minutes.

KEEP OUT OF REACH OF CHILDREN.

MSDS Revisions

Previous Version Date: 5/1/2002

Previous Version Information

Section 1, Blue Coral Dri-Clean Plus

Section 3, Primary routes of exposure

Other

No information available

Prepared By:

Pennzoil-Quaker State Company

Environmental, Safety, Health, & DOT Compliance

P. O. Box 2967

Houston, TX 77252-2967 USA

MATERIAL SAFETY DATA SHEET

MSDS Number: 24249

BLUE CORAL DRI-CLEAN PLUS W/ODOR ELIMINATOR

Page 7 of 7

Disclaimer of Warranty: The information contained herein is based upon data and information available to us, and reflects our best professional judgement. This product may be formulated in part with components purchased from other companies. In many instances, especially when proprietary or trade secret materials are used, Pennzoil-Quaker State Company must rely upon the hazard evaluation of such components submitted by that product's manufacturer or importer. No warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of such data or information. The results to be obtained from the use thereof, or that any such use does not infringe any patent. Since the information contained herein may be applied under conditions of use beyond our control and with which we may be unfamiliar, we do not assume responsibility for the results of such application. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular use.