

MATERIAL SAFETY DATA SHEET
TRIM® C350

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name TRIM® C350
Material type Premium Synthetic Metalworking Fluid
Classification/synonym(s) Chemical fluid/synthetic fluid
Product use Coolant and lubricant in metal removal processes
Manufacturer address MASTER CHEMICAL CORPORATION
501 West Boundary
Perrysburg, OH 43551-1200
Emergency telephone 419-874-7902 **Fax number** 419-874-0684

2. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOM.	CAS #	%RANGE
triethanolamine	none	5mg/m ³	none	102-71-6	10-20

The exact chemical identities and percentages of the raw materials used in TRIM® C350 are trade secrets. This information is being withheld as provided for in the Occupational Safety and Health Administration's Hazard Communication Rule (29 CFR 1910.1200).

3. HAZARDS IDENTIFICATION

Emergency overview Colorless to pale yellow liquid
No immediate hazard
Fire may produce oxides of nitrogen and carbon

POTENTIAL HEALTH EFFECTS

Acute effects of overexposure

Eye Contact	Concentrate may be possible irritant
Skin Contact	Possible defatting, nonirritant, nonsensitizer
Inhalation	Nontoxic
Ingestion	Nontoxic
Skin Absorption	Nontoxic

Chronic effects of overexposure None currently known

Product/Ingredients listed as carcinogen or potential carcinogen? NTP Annual Report No IARC Monographs No
OSHA No

Signs and symptoms of exposure None
Medical conditions generally aggravated by exposure None known

4. FIRST AID MEASURES

Emergency and first aid procedures	Eyes	Flush immediately with cool, clean water for at least 15 minutes
	Skin	Wash with mild soap and warm water
	Inhalation	Move to fresh air
	Ingestion	If large quantities are ingested, contact a physician

In every case get medical attention as required

5. FIRE FIGHTING MEASURES

Flash point (test method)	> 195 °F (>91 °C) (COC)	Flammable limits Not determined
Extinguishing media	As appropriate for the surrounding fire: water (flood with water), dry chemical, CO ₂ or "alcohol" foam	

Special fire fighting procedures	None	Unusual fire and explosion hazards	None
---	------	---	------

6. ACCIDENTAL RELEASE MEASURES

Steps to be taken if material is released or spilled	Mop up or use dry absorbent
---	-----------------------------

7. HANDLING AND STORAGE

Precautions to be taken in handling and storing	Avoid contact with eyes. Wash thoroughly after handling. Do not swallow. Refer to container labels.
--	--

Other precautions	This product contains amine. Do not add nitrite or other nitrosating agents to this product due to the potential for nitrosamine formation.
--------------------------	---

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection (Specify type)	None	
Ventilation	Local exhaust	Not normally required
	Mechanical (General)	General room ventilation should be sufficient
	Special	None
	Other	None
Protective gloves	None	
Other protective equipment	None	
Eye protection	Safety glasses	
Exposure limits	None established by ACGIH or OSHA for product as whole Refer to Section 2	

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Colorless to pale yellow liquid
Odor	Mild amine
pH of concentrate	8.1 – 8.5
Typical operating pH (as range)	7.8 – 8.2
Boiling point (ASTM D86)	209°F (98°C)
Freezing point	9°F (-13°C)
Solubility in water	Soluble
Specific gravity (H ₂ O=1)	1.052
Evaporation rate (butyl acetate=1)	0.047
V.O.C. Content (EPA Method 24)	1.132 lbs/gal

10. STABILITY AND REACTIVITY

Stability	Stable	Conditions to avoid	None
Incompatibility (materials to avoid)	Strong acids, strong amines, and oxidizing agents		
Hazardous combustion or decomposition products	Thermal decomposition (fire) may produce oxides of nitrogen and carbon		
Hazardous polymerization	Will not occur	Conditions to avoid	None

11. TOXICOLOGICAL INFORMATION

Study	Test Animal	Concentrate	Results	
				10% Solution
Acute inhalation toxicity	Rat	---		nontoxic LC ₅₀ >202mg/l
Acute oral toxicity	Rat	nontoxic LD ₅₀ >5000mg/kg		nontoxic
Acute dermal toxicity	Rabbit	nontoxic LD ₅₀ >2000mg/kg		nontoxic
Primary skin irritation	Rabbit	nonirritant PII index=0.67		nonirritant PII index=0.21
Primary eye irritation	Rabbit	indeterminate		nonirritant
Repeated insult patch	Human volunteers	---		possible defatting nonirritant nonsensitizer

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

Waste disposal method Must comply with local, state, and federal regulations. If pre-treatment is needed, chemical treatment or ultrafiltration may be used. Contact Master Chemical Tech Line (1-800-537-3365) for assistance.

14. TRANSPORT INFORMATION

Department of Transportation **DOT Hazard Class:** None
TRIM® C350 is not classified as a hazardous material by DOT.

15. REGULATORY INFORMATION

Resource Conservation and Recovery Act **EPA Hazardous Waste Number(s):** None
TRIM® C350 is not classified as a hazardous waste by EPA.

Toxic Substances Control Act All TRIM® C350 ingredients are listed on the TSCA Inventory of Chemical Substances.

Superfund Amendments and Reauthorization Act of 1986 TRIM® C350 does not contain any Section 302/304 Extremely Hazardous Substances or Section 313 Toxic Chemicals.

16. OTHER INFORMATION

	HMIS Hazard Index	Concentrate	NFPA RATING
(Health)	H = 1		H = 1
(Fire)	F = 0		F = 0
(Reactivity)	R = 0		R = 0
(Personal Protection)	PP = A (safety glasses)		Special hazards = none
	Typical Working Solution		
	H = 1		H = 1
	F = 0		F = 0
	R = 0		R = 0
	PP = A (safety glasses)		Special hazards = none

Key 0 = minimal 1 = slight 2 = moderate 3 = serious 4 = severe
This information is intended solely for the use of individuals trained in the particular system.

TRIM® is a registered trademark of Master Chemical Corporation.
(C) 2007 Master Chemical Corporation.

The information herein is given in good faith and believed current as of the date of this MSDS. Because conditions of use are beyond our control, no guarantee, representation or warranty expressed or implied is made. Consult Master Chemical Corporation for further information.

Date of preparation December 3, 2007

MATERIAL SAFETY DATA SHEET
TRIM® TASK2™

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name TRIM® TASK2™

Material type Grime Fighter Super Strength Industrial Cleaner

Classification/synonym(s) None/None

Product use Removal of metalworking fluids from machine tools, parts and floors

Manufacturer address MASTER CHEMICAL CORPORATION
501 West Boundary
Perrysburg, OH 43551-1200

Emergency telephone 419-874-7902 **Fax number** 419-874-0684

2. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOM.	CAS #	%RANGE
triethanolamine	none	5mg/m ³	none	102-71-6	1-10

The exact chemical identities and percentages of the raw materials used in TRIM® TASK2™ are trade secrets. This information is being withheld as provided for in the Occupational Safety and Health Administration's Hazard Communication Rule (29 CFR 1910.1200).

3. HAZARDS IDENTIFICATION

Emergency overview Blue liquid
Fire may produce CO, CO₂, NO_x

POTENTIAL HEALTH EFFECTS

Acute effects of overexposure	Eye Contact	Irritant
	Skin Contact	Nonirritant
	Inhalation	Nontoxic
	Ingestion	Nontoxic

**Chronic effects of
overexposure** None currently known

**Product/Ingredients listed as
carcinogen or potential carcinogen?** **NTP Annual Report** No **IARC Monographs** No
OSHA No

Signs and symptoms of exposure None

**Medical conditions generally
aggravated by exposure** None known

4. FIRST AID MEASURES

Emergency and first aid procedures	Eyes	Flush immediately with cool, clean water for at least 15 minutes
	Skin	Wash with mild soap and warm water
	Inhalation	Move to fresh air
	Ingestion	If large quantities are ingested, contact a physician

In every case get medical attention as required

5. FIRE FIGHTING MEASURES

Flash point (test method)	None to boiling (COC)	Flammable limits Not determined
---------------------------	-----------------------	---

Extinguishing media As appropriate for the surrounding fire: water (flood with water), dry chemical, CO₂ or "alcohol" foam

Special fire fighting procedures	None	Unusual fire and explosion hazards None
----------------------------------	------	--

6. ACCIDENTAL RELEASE MEASURES

Steps to be taken if material is released or spilled Mop up or use dry absorbent

7. HANDLING AND STORAGE

Precautions to be taken in handling and storing Avoid contact with eyes. Avoid prolonged or repeated skin contact with the concentrate. Wash thoroughly after handling. Do not swallow. Refer to container labels.

Other precautions None

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection (Specify type) None

Ventilation	Local exhaust	Not normally required
	Mechanical (General)	General room ventilation should be sufficient
	Special	None
	Other	None

Protective gloves None

Other protective equipment None

Eye protection Safety glasses

Exposure limits None established by ACGIH or OSHA for product as whole
Refer to Section 2

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Blue liquid
Odor	Mild odor
pH of concentrate	10.0-10.5
pH of working solution (as range)	9.1 – 10.1
Vapor pressure (mm Hg)	Not determined
Vapor density (Air=1)	<1
Boiling point (ASTM D86)	209°F (98°C)
Freezing point	28°F (-2°C)
Solubility in water	Soluble
Specific gravity (H₂O=1)	0.995
V.O.C. Content (EPA Method 24)	1.23 lbs/gal
Evaporation rate (butyl acetate=1)	<1

10. STABILITY AND REACTIVITY

Stability	Stable	Conditions to avoid	None
Incompatibility (materials to avoid)	Strong acids and oxidizers		
Hazardous combustion or decomposition products	Thermal decomposition (fire) may produce CO, CO ₂ , NO _x		
Hazardous polymerization	Will not occur	Conditions to avoid	None

11. TOXICOLOGICAL INFORMATION

Study	Test Animal	Results Concentrate
Acute inhalation toxicity	Rat	nontoxic LC ₅₀ > 209mg/l
Acute oral toxicity	Rat	nontoxic LD ₅₀ > 5000 mg/kg
Acute dermal toxicity	Rabbit	nontoxic LD ₅₀ > 2000 mg/kg
Primary skin irritation	Rabbit	nonirritant PDI index = 0.80
Primary eye irritation	Rabbit	irritant
Repeated insult patch	Human volunteers	nonirritant

12. ECOLOGICAL INFORMATION

Readily biodegradable by OECD Method 301D.

13. DISPOSAL CONSIDERATIONS

Waste disposal method Must comply with local, state, and federal regulations. If pre-treatment is needed, chemical treatment or ultrafiltration may be used. Contact Master Chemical Tech Line (1-800-537-3365) for assistance.

14. TRANSPORT INFORMATION

Department of Transportation **DOT Hazard Class:** None
TRIM[®]TASK2[™] is not classified as a hazardous material by DOT.

15. REGULATORY INFORMATION

Resource Conservation and Recovery Act **EPA Hazardous Waste Number(s):** None
TRIM[®]TASK2[™] is not classified as a hazardous waste by EPA.

Toxic Substances Control Act All TRIM[®]TASK2[™] ingredients are listed on the TSCA Inventory of Chemical Substances.

Superfund Amendments and Reauthorization Act of 1986 TRIM[®]TASK2[™] does not contain any Section 302/304 Extremely Hazardous Substances or Section 313 Toxic Chemicals.

16. OTHER INFORMATION

	HMIS Hazard Index	Concentrate	NFPA RATING
(Health)	H = 1		H = 1
(Fire)	F = 0		F = 0
(Reactivity)	R = 0		R = 0
(Personal Protection)	PP = A (safety glasses)		Special hazards = none
		Typical Working Solution	
	H = 1		H = 1
	F = 0		F = 0
	R = 0		R = 0
	PP = A (safety glasses)		Special hazards = none

Key 0 = minimal 1 = slight 2 = moderate 3 = serious 4 = severe

This information is intended solely for the use of individuals trained in the particular system.

TRIM[®] is a registered trademark of Master Chemical Corporation.

TASK2[™] is a trademark of Master Chemical Corporation.

©2001 Master Chemical Corporation.

The information herein is given in good faith and believed current as of the date of this MSDS. Because conditions of use are beyond our control, no guarantee, representation or warranty expressed or implied is made. Consult Master Chemical Corporation for further information.

Date of preparation February 1, 2008