

ITEM: 2GKT6 - Paint Marker Brite Mark(R) 916 Yel
ORDER: 015665270
MSDS: D2553
LP NUMBER: U869338397

MATERIAL SAFETY DATA SHEET (MSDS)

This MSDS should be attached or kept with the respective product with which it is associated.

Associated Grabber Items
2GKT3, 2GKT4, 2GKT5, 2GKT6, 2GKT7, 2GKT8, 2GKT9, 2GKTU, 2GKTU, 2GKTU, 2GKVA, 2GKVB, 2GKVC, 2GKVD, 2GKVE, 2GKVF, 2GKVG, 2GKVH, 2GKVI, 2GKVJ, 2GKVK, 2GKVL, 2GKVM, 2GKVN, 2GKVO, 2GKVP, 2GKVQ, 2GKVR, 2GKVS, 2GKVT, 2GKVU, 2GKVW, 2GKVB, 2GKVC, 2GKVD, 2GKVE, 2GKVF, 2GKVG, 2GKVH, 2GKVI, 2GKVJ, 2GKVK, 2GKVL, 2GKVM, 2GKVN, 2GKVO, 2GKVP, 2GKVQ, 2GKVR, 2GKVS, 2GKVT, 2GKVU, 2GKVW, 9GJ78
91FL3, 91NX0, 9M419, 9WDH5
2GKV9, 8DY3, 8DY4, 8DY5, 8DY6, 8DY7, 8DY8, 8DY9, 8X248, 9AT5, 9CTK4, 9FA20, 9GJ78

SAFETY DATA SHEET
ISSUING DATE: 15-AUG-2014
REVISION DATE: 15-AUG-2014
REVISION NUMBER: 0
1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDER TAKING
PRODUCT NAME: BRITE-MARK PAINT MARKER
OTHER MEANS OF IDENTIFICATION:
PART NUMBER:
HACK (4003), 4103, 84002, 84202, BLUE (4001, 4101, 84001, 84201),
BLACK (4002), 41003, GOLD (4004, 41004, 84007, 84207), RED
BROWN (4007), 84010, GREEN (4004, 41004, 84007, 84207),
LIGHT BLUE (84008), ORANGE (4010, 41010, 84005, 84205), PINK (84009), RED
LIGHT BLUE (4008), 41002, 41006, 84206, SILVER (40016, 84050), VIOLET (84019), WHITE
FORMULA CODE:
A720M (BLACK), A788M (BLUE), A786M (BROWN), A946M (GOLD), A799M (GREEN),
A733M (LIGHT BLUE), A790M (ORANGE), A787M (PINK), A791M (RED), A945M
(SILVER), A755M (VIOLET), A718M (WHITE), A719M (YELLOW)

UN-NUMBER: UN1263
SYNONYMS: NONE
RECOMMENDED USE OF THE CHEMICAL AND RESTRICTIONS ON USE:
RECOMMENDED USE: SOLVENT BASED MARKER
USERS ADVISED AGAINST: NO INFORMATION AVAILABLE
SUPPLIER'S DETAILS:
SUPPLIER ADDRESS:
ITW PRO BRANDS
805 E. OLD 56 HIGHWAY
FLAHE, KS 66061
TEL: 1-800-443-9536
EMERGENCY TELEPHONE NUMBER:
EMERGENCY TELEPHONE NUMBER: 800-535-5053 INFOTRAC
CLASSIFICATION:
THIS CHEMICAL IS CONSIDERED HAZARDOUS ACCORDING TO THE OSHA HAZARD
COMMUNICATION STANDARD 2012 (29 CFR 1910.1200)
SKIN CORROSION/IRRITATION: CATEGORY 2
SERIOUS EYE DAMAGE/EYE IRRITATION: CATEGORY 2
CARCINOGENICITY: CATEGORY 1B
GERM CELL MUTAGENICITY: CATEGORY 1B
SPECIFIC TARGET ORGAN SYSTEMIC TOXICITY (SINGLE EXPOSURE): CATEGORY 3
FLAMMABLE LIQUIDS: CATEGORY 3
GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS:
EMERGENCY OVERVIEW:
SIGNAL WORD: DANGER
HAZARD STATEMENTS:
CAUSES SKIN IRRITATION
CAUSES SERIOUS EYE IRRITATION
MAY CAUSE GENITIC DEFECTS
MAY CAUSE CANCER
VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS
MAY CAUSE DROWSINESS OR DIZZINESS
MAY CAUSE DROWNING
FLAMMABLE LIQUID AND VAPOR.
EXPLANATION MARK
HEALTH HAZARD
FLAME
APPEARANCE: OPAQUE, VARIES
PHYSICAL STATE: LIQUID
ODOR: SWEET
PRECAUTIONARY STATEMENTS:
PREVENTION:
OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.
DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD.
DO NOT HANDLE FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES - NO SMOKING.
KEEP CONTAINER TIGHTLY CLOSED.
KEEP COOL.

2. HAZARDS IDENTIFICATION
CHEMICAL NAME: N-BUTYL ACRYLATE
CAS-NO: 123-86-4
WEIGHT % TRADE SECRET
CHEMICAL NAME: TITANIUM DIOXIDE
CAS-NO: 13463-67-7
WEIGHT % TRADE SECRET
CHEMICAL NAME: COPPER
CAS-NO: 7440-50-8
WEIGHT % TRADE SECRET
CHEMICAL NAME: CARBON BLACK
CAS-NO: 1333-86-4
WEIGHT % TRADE SECRET
CHEMICAL NAME: ISOPROPYL ALCOHOL
CAS-NO: 67-63-0
WEIGHT % TRADE SECRET
CHEMICAL NAME: ZINC
CAS-NO: 7440-66-6
WEIGHT % TRADE SECRET
CHEMICAL NAME: PETROLEUM NAPHTHA, LIGHT AROMATIC
CAS-NO: 64742-95-6
WEIGHT % TRADE SECRET
CHEMICAL NAME: 1,2,4 TRIMETHYLBENZENE
CAS-NO: 95-63-6
WEIGHT % TRADE SECRET
*THE EXACT PERCENTAGE (CONCENTRATION) OF COMPOSITION HAS BEEN WITHHELD AS
A TRADE SECRET.
GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS:
EMERGENCY OVERVIEW:
SIGNAL WORD: DANGER
HAZARD STATEMENTS:
CAUSES SKIN IRRITATION
CAUSES SERIOUS EYE IRRITATION
MAY CAUSE GENITIC DEFECTS
MAY CAUSE CANCER
VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS
MAY CAUSE DROWNING OR DIZZINESS
MAY CAUSE DROWNING
FLAMMABLE LIQUID AND VAPOR.
EXPLANATION MARK
HEALTH HAZARD
FLAME
APPEARANCE: OPAQUE, VARIES
PHYSICAL STATE: LIQUID
ODOR: SWEET
PRECAUTIONARY STATEMENTS:
PREVENTION:
OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.
DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD.
DO NOT HANDLE FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES - NO SMOKING.
KEEP CONTAINER TIGHTLY CLOSED.
KEEP COOL.
MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED:
MOST IMPORTANT SYMPTOMS/EFFECTS: NO INFORMATION AVAILABLE.

3. COMPOSITION/INFORMATION ON INGREDIENTS
OTHER INFORMATION: VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS
HAZARD NOT OTHERWISE CLASSIFIED (HNOC): NOT APPLICABLE
DISPOSE OF CONTENTS/CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.
STORAGE:
STORE LOCKED UP.
STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED.
INGESTION: NONE
FIRE:
IN CASE OF FIRE: USE CO₂, DRY CHEMICAL, OR FOAM FOR EXTINGUISHMENT.
SPILLS AND LEAKS: COLLECT SPILLAGE.
DISPOSAL:
DISPOSE OF CONTENTS/CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.
HAZARD NOT OTHERWISE CLASSIFIED (HNOC): NOT APPLICABLE
OTHER INFORMATION: VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS
4. FIRST AID MEASURES
DESCRIPTION OF NECESSARY FIRST-AID MEASURES:
GENERAL ADVICE:
IMMEDIATE MEDICAL ATTENTION IS REQUIRED. SHOW THIS SAFETY DATA SHEET TO THE
DOCTOR IN ATTENDANCE. IF SYMPTOMS PERSIST, CALL A PHYSICIAN.
EYE CONTACT:
RINSE IMMEDIATELY WITH PLENTY OF WATER, ALSO UNDER THE EYELIDS, FOR AT
LEAST 15 MINUTES. KEEP EYE WIDE OPEN WHILE RINSING. IF SYMPTOMS PERSIST,
CALL A PHYSICIAN.
SKIN CONTACT:
WASH OFF IMMEDIATELY WITH SOAP AND PLENTY OF WATER REMOVING ALL
CONTAMINATED CLOTHES AND SHOES. IF SKIN IRRITATION PERSISTS, CALL A
PHYSICIAN.
INHALATION:
MOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IF SYMPTOMS
PERSIST, CALL A PHYSICIAN.
INGESTION:
RINSE MOUTH. DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN
UNCONSCIOUS PERSON. DRINK PLENTY OF WATER. CONSULT A PHYSICIAN IF NECESSARY.
PROTECTION OF FIRST-AIDERS:
USE PERSONAL PROTECTIVE EQUIPMENT. REMOVE ALL SOURCES OF IGNITION.
USE APPROPRIATE PPE: PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION.
WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION.
USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED.
GENERAL ADVICE:
IF EXPOSED OR CONCERNED: GET MEDICAL ATTENTION/ADVICE
SPECIFIC TREATMENT (SEE SUPPLEMENTAL FIRST AID INSTRUCTIONS ON THIS LABEL)
EYES:
IF IN EYES:
RINSE THOROUGHLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF
PRESENT AND EASY TO DO. CONTINUE RINSING.
IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION.
SKIN:
WASH CONTAMINATED CLOTHING BEFORE REUSE.
IF ON SKIN (OR HAIR):
TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH
WATER/SHOWER.
IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ATTENTION.
INHALATION:
IF INHALED:
REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR
BREATHING.
INGESTION: NONE
FIRE:
IN CASE OF FIRE: USE CO₂, DRY CHEMICAL, OR FOAM FOR EXTINGUISHMENT.
SPILLS AND LEAKS: COLLECT SPILLAGE.
STORAGE:
STORE LOCKED UP.
STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED.
DISPOSAL:
DISPOSE OF CONTENTS/CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.
HAZARD NOT OTHERWISE CLASSIFIED (HNOC): NOT APPLICABLE
OTHER INFORMATION: VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS

PROPERTY	VALUES	REMARKS / - METHOD
ODOR: SWEET		
ODOR THRESHOLD: NO INFORMATION AVAILABLE		
APPEARANCE: OPAQUE, VARIES.		
FLAMMABILITY LIMITS IN AIR:		
UPPER FLAMMABILITY LIMIT	NO DATA AVAILABLE 7.6	
LOWER FLAMMABILITY LIMIT	NO DATA AVAILABLE 1.7	
VAPOR PRESSURE	NO DATA AVAILABLE	
VAPOR DENSITY	NO DATA AVAILABLE	
SPECIFIC GRAVITY	NO DATA AVAILABLE	
WATER SOLUBILITY	SLIGHTLY SOLUBLE	
SOLUBILITY IN OTHER SOLVENTS	NO DATA AVAILABLE	
PARTITION COEFFICIENT	NO DATA AVAILABLE	
N-OCTANOL/WATER	NO DATA AVAILABLE	
AUTOIGNITION TEMPERATURE	NO DATA AVAILABLE	
DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE	
VISCOSITY	NO DATA AVAILABLE	
FLAMMABLE PROPERTIES	FLAMMABLE LIQUID, FLAMMABLE; MAY BE IGNITED BY HEAT, SPARKS OR FLAMES.	
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE	
OXIDIZING PROPERTIES	NO DATA AVAILABLE	
OTHER INFORMATION:		
VOC CONTENT (%):	66.61%	
A720M BLACK	67.78%	
A786M BROWN	69.77%	
A789M GREEN	48.62%	
A787M PINK	71.68%	
A945M SILVER	47.85%	
A718M WHITE	68.83%	
A788M BLUE	59.75%	
A946M GOLD	50.34%	
A783M LIGHT BLUE	65.48%	
A790M ORANGE	66.17%	
A791M RED	76.57%	
A785M VIOLET	68.20%	
A719M YELLOW	68.20%	

10. STABILITY AND REACTIVITY

REACTIVITY: NO DATA AVAILABLE.

CHEMICAL STABILITY: STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS: NONE UNDER NORMAL PROCESSING.

HAZARDOUS POLYMERIZATION: HAZARDOUS POLYMERIZATION DOES NOT OCCUR.

CONDITIONS TO AVOID: HEAT, FLAMES AND SPARKS, INCOMPATIBLE PRODUCTS.

INCOMPATIBLE MATERIALS: STRONG OXIDIZING AGENTS, STRONG REDUCING AGENTS, STRONG ALKALIS, STRONG ACIDS.

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON OXIDES, SMOKE SOOT.

11. TOXICOLOGICAL INFORMATION

INFORMATION ON LIKELY ROUTES OF EXPOSURE:

PRODUCT INFORMATION:

INHALATION: MAY CAUSE IRRITATION OF RESPIRATORY TRACT, MAY CAUSE DROWSINESS AND DIZZINESS.

EYE CONTACT: IRRITATING TO EYES, CAUSES SERIOUS EYE IRRITATION.

SKIN CONTACT: IRRITATING TO SKIN, CAUSES SKIN IRRITATION.

12. ECOLOGICAL INFORMATION

THIS PRODUCT CONTAINS A CHEMICAL WHICH IS LISTED AS A SEVERE MARINE POLLUTANT ACCORDING TO DOT.

ECOTOXICITY: VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

CHEMICAL NAME: TOXICITY TO ALGAE

LD50 ORAL: 2419 MG/KG

LD50 DERMAL: 5753 MG/KG

DUST/MIST: 29.7 MG/L

VAPOR: 113 MG/L

12. ECOLOGICAL INFORMATION

INGESTION: INGESTION MAY CAUSE NAUSEA AND VOMITING.

CHEMICAL NAME: LD50 ORAL, LD50 DERMAL, LC50 INHALATION

N-BUTYL ACETATE <10768 MG/KG (RAT) <17600 MG/KG (RABBIT) <391 PPM

TITANIUM DIOXIDE <10000 MG/KG (RAT)

PROPYLENE GLYCOL MONOMETHYL ETHER =8532 MG/KG (RAT) >5000 MG/KG (RABBIT) 5321 MG/M3

CARBON BLACK >15400 MG/KG (RAT) >3 G/KG (RABBIT)

ISOPROPYL ALCOHOL =4396 MG/KG (RAT) 12800 MG/KG (RAT) 72.6 MG/L (RAT) 4 H

SILICON DIOXIDE >5000 MG/KG (RAT) >2000 MG/KG (RABBIT) >2.2 MG/L (RAT) 4 H

ALUMINUM HYDROXIDE >5000 MG/KG (RAT)

PETROLEUM NAPHTHA, LIGHT AROMATIC =8400 MG/KG (RAT) >2000 MG/KG (RABBIT) =3400 PPM

1,2,4 TRIMETHYLBENZENE =3400 MG/KG (RAT) >3160 MG/KG (RABBIT) =18 G/M3 (RAT) 4 H

XYLENE, MIXED =4300 MG/KG (RAT) >1700 MG/KG (RABBIT) =5000 PPM (RAT) 4 H =47635 MG/L (RAT) 4 H

SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS:

SYMPTOMS: NO INFORMATION AVAILABLE.

DELAYED AND IMMEDIATE EFFECTS AND ALSO CHRONIC EFFECTS FROM SHORT AND LONG TERM EXPOSURE:

SENSITIZATION: NO INFORMATION AVAILABLE.

MUTAGENIC EFFECTS: MAY CAUSE GENETIC DEFECTS.

CARCINOGENICITY:

THIS PRODUCT CONTAINS ONE OR MORE SUBSTANCES WHICH ARE CLASSIFIED BY IARC AS CARCINOGENIC TO HUMANS (GROUP 1), PROBABLY CARCINOGENIC TO HUMANS (GROUP 2A) OR POSSIBLY CARCINOGENIC TO HUMANS (GROUP 2B).

CHEMICAL NAME: ACGIH IARC NTP OSHA

TITANIUM DIOXIDE A3 GROUP 2B X

CARBON BLACK A3 GROUP 2B X

ISOPROPYL ALCOHOL GROUP 3

ACGIH: (AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS)

IARC: (INTERNATIONAL AGENCY FOR RESEARCH ON CANCER)

GROUP 2B - POSSIBLY CARCINOGENIC TO HUMANS

GROUP 3: NOT CLASSIFIABLE AS TO ITS CARCINOGENICITY TO HUMANS

OSHA: (OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION)

X - PRESENT

REPRODUCTION TOXICITY: NO INFORMATION AVAILABLE.

STO - SINGLE EXPOSURE: NO INFORMATION AVAILABLE.

STO - REPEATED EXPOSURE: NO INFORMATION AVAILABLE.

CHRONIC TOXICITY: AVOID REPEATED EXPOSURE.

TARGET ORGAN EFFECTS: LIVER, KIDNEY, RESPIRATORY SYSTEM, EYES, SKIN, CENTRAL NERVOUS SYSTEM (CNS), BLOOD, LUNGS, LYMPHATIC SYSTEM.

ASPIRATION HAZARD: NO INFORMATION AVAILABLE.

NUMERICAL MEASURES OF TOXICITY - PRODUCT:

THE FOLLOWING VALUES ARE CALCULATED BASED ON CHAPTER 3.1 OF THE GHS DOCUMENT:

LD50 ORAL: 2419 MG/KG

LD50 DERMAL: 5753 MG/KG

DUST/MIST: 29.7 MG/L

VAPOR: 113 MG/L

MONOMETHYL ETHER (L) (LUCISCUS IDUS) ACETATE
 COPPER EC50 96 H: =161 MG/L (PIMEPHALES PROMELAS)
 EC50 48 H: =0.03 MG/L (DAPHNIA MAGNA) STATIC

CARBON BLACK EC50 96 H: =0.031 - 0.054 MG/L STATIC
 (PSEUDOKIRCHNERIELLA) SUBCAPITATA
 EC50 96 H: =0.0068 - 0.0156 MG/L (PIMEPHALES PROMELAS)
 EC50 24 H: >5600 MG/L (DAPHNIA MAGNA)

SILICON DIOXIDE EC50 96 H: =0.052 MG/L FLOW-THROUGH (PSEUDOKIRCHNERIELLA) SUBCAPITATA
 EC50 96 H: =0.112 MG/L FLOW-THROUGH (POBICILIA RETICULATA)
 EC50 96 H: =0.2 MG/L FLOW-THROUGH (PIMEPHALES PROMELAS)
 EC50 48 H: =6.14 MG/L (DAPHNIA MAGNA)

ISOPROPYL ALCOHOL EC50 48 H: =13299 MG/L (DAPHNIA MAGNA)
 EC50 48 H: =6.14 MG/L (DAPHNIA MAGNA)

LOG POW CHEMICAL NAME EC50 96 H: =1.25 MG/L STATIC (LEPOMIS MACROCHIRUS)
 N-BUTYL ACETATE EC50 96 H: =0.8 MG/L STATIC (CYPRINUS CARPIO)

TOXIC COPPER EC50 96 H: =2.16-3.05 MG/L FLOW-THROUGH (PIMEPHALES PROMELAS)
 TOXIC ALUMINUM EC50 96 H: =0.11 - 0.271 MG/L STATIC (PSEUDOKIRCHNERIELLA) SUBCAPITATA
 TOXIC ISOPROPYL ALCOHOL EC50 96 H: =0.24 MG/L FLOW-THROUGH (ONCORHYNCHUS MYKISS)

14. TRANSPORT INFORMATION DOT: UN-NUMBER: UN1263 PROPER SHIPPING NAME: PAINT HAZARD CLASS: 3

13. DISPOSAL CONSIDERATIONS WASTE DISPOSAL METHODS: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS

EMERGENCY RESPONSE GUIDE NUMBER: 128
 MEX: EC50 96 H: =7.8 MG/L STATIC (CYPRINUS CARPIO)

EC50 48 H: (DAPHNIA MAGNA)
 EC50 24 H: =72.8 MG/L (DAPHNIA MAGNA)
 EC50: 82.2 MG/L / 15 MIN
 EC50: 98.9 MG/L / 30 MIN
 EC50: 959 MG/L / 18 H

CHEMICAL NAME	CAS-NO	ILLINOIS	INDIANA	KENTUCKY	MASSACHUSETTS	MICHIGAN	MINNESOTA	MISSISSIPPI	MISSOURI	MONTANA	NEBRASKA	NEVADA	NEW JERSEY	NEW YORK	NORTH CAROLINA	NORTH DAKOTA	OHIO	PENNSYLVANIA	RHODE ISLAND	TENNESSEE	TEXAS	VIRGINIA	WASHINGTON	WEST VIRGINIA	WISCONSIN	WYOMING
TITANIUM DIOXIDE	13463-67-7	CARCINOGEN																								
CARBON BLACK	1333-86-4	CARCINOGEN																								
ETHYLENEGLYCOL	100-41-4	CARCINOGEN																								
QUARTZ	14808-60-7	CARCINOGEN																								
U.S. STATE RIGHT-TO-KNOW REGULATIONS:																										
CHEMICAL NAME																										
NEW JERSEY																										
MASSACHUSETTS																										
PENNSYLVANIA																										
ILLINOIS																										
RHODE ISLAND																										
N-BUTYL ACRYLATE																										
TITANIUM DIOXIDE																										
COPPER																										
ALUMINUM																										
CARBON BLACK																										
ISOPROPYL ALCOHOL																										
ZINC																										
1,2,4-TRIMETHYLBENZENE																										
XYLENE, MIXED ISOMERS																										
U.S. EPA LABEL INFORMATION:																										
EPA PESTICIDE REGISTRATION NUMBER: NOT APPLICABLE																										
16. OTHER INFORMATION																										
NFPA:																										
HEALTH HAZARD																										
2																										
FLAMMABILITY																										
3																										
INSTABILITY																										
0																										
PHYSICAL AND CHEMICAL HAZARDS																										
HEALTH HAZARD																										
2*																										
PHYSICAL HAZARD																										
0																										
PERSONAL PROTECTION																										
X																										
*INDICATES A CHRONIC HEALTH HAZARD.																										
PREPARED BY:																										
PRODUCT STEWARDSHIP																										
23 BRITISH AMERICAN BLDV.																										
LATHAM, NY 12110																										
1-800-572-6501																										
ISSUING DATE: 15-AUG-2014																										
REVISION DATE: 15-AUG-2014																										
REVISION NOTE: INITIAL RELEASE.																										
GENERAL DISCLAIMER:																										
THE INFORMATION PROVIDED ON THIS SDS IS CORRECT TO THE BEST OF OUR																										
KNOWLEDGE, INFORMATION AND BELIEF AT THE DATE OF ITS PUBLICATION. THE																										
INFORMATION IS DESIGNED ONLY AS A GUIDE FOR SAFE HANDLING, USE,																										
PROCESSING, STORAGE, TRANSPORTATION, DISPOSAL, AND RELEASE AND IS NOT TO BE																										
CONSIDERED AS A WARRANTY OR QUALITY SPECIFICATION. THE INFORMATION RELATES																										
ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH																										
MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PROCESS,																										
UNLESS SPECIFIED IN THE TEXT.																										
WPS-11W-042 - BRITTE-MARK PAINT MARKER																										

CHEMICAL NAME	CAS-NO	WEIGHT %	SARA 313 - THRESHOLD VALUES %	COPPER	ALUMINUM	ISOPROPYL ALCOHOL	ZINC	1,2,4-TRIMETHYLBENZENE
COPPER	7440-50-8	10-30	1.0	X				
ALUMINUM	7429-90-5	10-30	1.0		X			
ISOPROPYL ALCOHOL	67-63-0	3-7	1.0			X		
ZINC	7440-66-6	3-7	1.0				X	
1,2,4-TRIMETHYLBENZENE	95-63-6	1-5	1.0					X
SARA 311/312 HAZARD CATEGORIES:								
ACUTE HEALTH HAZARD: YES								
CHRONIC HEALTH HAZARD: YES								
FIRE HAZARD: YES								
SUDDEN RELEASE OF PRESSURE HAZARD: NO								
REACTIVE HAZARD: NO								
CLEAN WATER ACT:								
THIS PRODUCT CONTAINS THE FOLLOWING SUBSTANCES WHICH ARE REGULATED								
POLYMER PURSUANT TO THE CLEAN WATER ACT (40 CFR 122.21 AND 40 CFR								
122.42):								
CHEMICAL NAME								
CWA - REPORTABLE CWA - TOXIC CWA - PRIORITY CWA -								
QUANTITIES								
POLYMER								
HAZARDOUS								
SUBSTANCES								
N-BUTYL ACRYLATE								
5000 LB								
COPPER								
5000 LB								
COPPER								
5000 LB								
ZINC								
1000 LB								
ZINC								
454 KG								
1000 LB								
U.S. STATE REGULATIONS:								
CALIFORNIA PROPOSITION 65:								
THIS PRODUCT CONTAINS THE FOLLOWING PROPOSITION 65 CHEMICALS:								

15. REGULATORY INFORMATION

LEGEND:
TSCA - UNITED STATES TOXIC SUBSTANCES CONTROL ACT SECTION 8 (B) INVENTORY
DSL/NDSL - CANADIAN DOMESTIC SUBSTANCES LIST/NON-DOMESTIC SUBSTANCES LIST
U.S. FEDERAL REGULATIONS:
SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA): THIS PRODUCT CONTAINS A CHEMICAL OR CHEMICALS WHICH ARE SUBJECT TO THE REPORTING REQUIREMENTS OF THE ACT AND TITLE 40 OF THE CODE OF FEDERAL REGULATIONS, PART 372:
CHEMICAL NAME
CAS-NO
WEIGHT %
SARA 313 - THRESHOLD VALUES %