

Exam 3: Tuesday, April 18, 5:00-6:00 PM

Instructor	Sections	Room
• Dr. Hale	F, H	104 Physics
• Dr. Kurter	B, N	125 BCH
• Dr. Madison	K, M	199 Toomey
• Dr. Parris	J, L	B-10 Bertelsmeyer
• Mr. Upshaw	A, C, E, G	G-3 Schrenk
• Dr. Waddill	D	120 BCH
• Special Accommodations (Contact me a.s.a.p. if you need accommodations different than for exam 2)		Testing Center

No calculators! All problems will be symbolic!

Exam 3 will cover chapters 28 to 32
(From magnetic field of a current to electromagnetic waves)

Today's agenda:

Plane Mirrors.


You must be able to draw ray diagrams for plane mirrors, and be able to calculate image and object heights, distances, and magnifications.

Spherical Mirrors: concave and convex mirrors.

You must understand the differences between these two kinds of mirrors, be able to draw ray diagrams for both kinds of mirrors, and be able to solve the mirror equation for both kinds of mirrors.


Image Formed by a Plane Mirror

- point object A, source of light




- reflected rays appear to come from A' \rightarrow A' is **image** of A
- outgoing rays do not actually cross \rightarrow image is **virtual**

Image of an extended object



- every point of the object acts as light source
- every point has an image
- collection of image points form image of the object

Quantitative description



object distance s and image distance s'

$$s = -s' \quad *$$

object size y and image size y'

$$y = y'$$

→ magnification m


$$m = y'/y = 1$$

These equations are not on your equation sheet, but they are special cases of the mirror equations that are.


Plane mirrors produce images that are **upright**, **virtual** and of the **same size** as the object (and reversed front-to-back)

*The - sign is needed because the image is behind the mirror. For general sign conventions see later.


Example: how tall must a full-length mirror be?



A light ray from the top of your head reflects directly back from the top of the mirror.




To reach your eye, a light ray from your foot must reflect halfway up the mirror (because $\theta_I = \theta_R = \theta$).




The mirror needs to be only half as tall as you.

This calculation assumed your eyes are at the top of your head.

Example: where is the image located (top view)?



Example: Image of a distant object. How large does the mirror have to be?



Find some similar triangles! (Only one is fully shown in the figure.)

Today's agenda:

Plane Mirrors.


You must be able to draw ray diagrams for plane mirrors, and be able to calculate image and object heights, distances, and magnifications.

Spherical Mirrors: concave and convex mirrors.

You must understand the differences between these two kinds of mirrors, be able to draw ray diagrams for both kinds of mirrors, and be able to solve the mirror equation for both kinds of mirrors.


Spherical Mirrors

- made from (polished) sections cut from a spherical surface
- **center of curvature** C is center of original sphere
- **vertex** V is center of mirror segment
- **radius of curvature** R is radius of sphere, or the distance from V to C .




- **principal axis** (or **optical axis**) is line passing through C and V


Paraxial rays (**parallel** to the principal axis) get reflected through a common point the **focal point** or **focus** F.




The **focal length** f is the distance from P to F. Your text shows that $f = R/2$.



Reality check: paraxial rays don't really pass **exactly** through the focal point of a spherical mirror ("spherical aberration").



- spherical aberration is **small** if mirror is **small** compared to R and if object is **close** to the principal axis
(We will assume this in this class and neglect the spherical aberration)



- aberrations could be reduced by using a **parabolic mirror** instead of a spherical one

Today's agenda:

Plane Mirrors.



You must be able to draw ray diagrams for plane mirrors, and be able to calculate image and object heights, distances, and magnifications.

Spherical Mirrors: **concave** and convex **mirrors**.

You must understand the differences between these two kinds of mirrors, be able to draw ray diagrams for both kinds of mirrors, and be able to solve the lens equation for both kinds of mirrors.

Concave and Convex Mirrors

There are two kinds of spherical mirrors: concave and convex.



Ray Diagrams for Mirrors


- use “**principal rays**” to construct images.

Ray 1 is parallel to the axis and reflects through F.

Ray 2 passes through F before reflecting parallel to the axis.

Ray 3 passes through C and reflects back on itself.

Ray 4 goes to the vertex V and reflects under the same angle below the optical axis




Ray Diagrams for Concave Mirrors

- image is formed where the outgoing rays cross
- two principle rays are sufficient to find image, use third and fourth to check your diagram

Example:

- object outside center ($s > 2f$)
→ image is **real**, **inverted**, and **smaller** than object ("telescope")
- object between f and $2f$
→ image is **real**, **inverted**, and **larger** than object ("microscope")




Real image: outgoing rays do cross. Can be captured on screen or by camera.

- object inside the focal point ($s < f$)
→ image is **virtual**, **upright**, and **larger** than object
(**"shaving mirror"**)

Ray 1: parallel to the axis
then through F.

Ray 2: "through" F then parallel
to the axis.

Ray 3: "through" C.



With this size object, there was a bit of spherical aberration present, and I had to "cheat" my C a bit to the left to make the diagram look "nice."

The Mirror Equations

two equations govern image formation for mirrors:


- object and image distances

$$\frac{1}{s} + \frac{1}{s'} = \frac{1}{f}$$

$f=R/2$ or $f=\infty$ for a plane mirror.

- magnification (ratio of image to object heights)

$$m = \frac{y'}{y} = -\frac{s'}{s}$$




$$\frac{1}{s} + \frac{1}{s'} = \frac{1}{f}$$

$$m = \frac{y'}{y} = -\frac{s'}{s}$$

Equations are **useless** without sign conventions!!!

- object distance s is positive if **object** is on side of **incoming** light
- image distance s' is positive if **image** is on side of **outgoing** light
- focal length f and radius R are positive if **center** is on side of **outgoing** light
- image height y' is positive if the image is upright



sign conventions valid for all mirrors and lenses

Handy quick reference card from Dr. Hale:

convex (diverging) mirror		f, S', R are positive only when on the side with the "out" ray
concave (converging) mirror		$f, S', R > 0$
convex (converging) lens		f, S', R are positive only when on the side with the "out" ray
concave (diverging) lens		$f, S', R > 0$

Example: a dime (height is 1.8 cm) is placed 100 cm away from a concave mirror. The image height is 0.9 cm and the image is inverted. What is the focal length of the mirror.

$$y=1.8$$

$$y'=-0.9$$

$$s=100$$

$$m = \frac{y'}{y} = -\frac{s'}{s}$$

$$\frac{-0.9}{1.8} = -\frac{s'}{100} \Rightarrow s' = -(100) \left(\frac{-0.9}{1.8} \right) = +50 \text{ cm}$$


$$\frac{1}{f} = \frac{1}{s} + \frac{1}{s'} = \frac{1}{100} + \frac{1}{50} = \frac{1}{100} + \frac{2}{100} = \frac{3}{100}$$

$$f = \frac{100}{3} = 33.3 \text{ cm}$$

Example: a dime (height is 1.8 cm) is placed 100 cm away from a concave mirror. The image height is 0.9 cm and the image is inverted. What is the focal length of the mirror.

$$\frac{1}{s} + \frac{1}{s'} = \frac{1}{f}$$

$$m = \frac{y'}{y} = -\frac{s'}{s}$$



Applications of concave mirrors.

Shaving mirrors.

Makeup mirrors.


Kid scarers.

Solar cookers.

Ant fryers.

Flashlights, headlamps, stove reflectors.

Satellite dishes (not used for visible light but for EM waves of the appropriate wave length).



Today's agenda:

Plane Mirrors.

You must be able to draw ray diagrams for plane mirrors, and be able to calculate image and object heights, distances, and magnifications.

Spherical Mirrors: concave and **convex mirrors**.


You must understand the differences between these two kinds of mirrors, be able to draw ray diagrams for both kinds of mirrors, and be able to solve the lens equation for both kinds of mirrors.

Ray Diagrams for Convex Mirrors

Ray 1: parallel to the axis then "from" F.

Ray 2: "through" Vertex.

Ray 3: "from" C.




Ray 4: towards F, then parallel.

- image is **virtual**, **upright**, and **smaller** than object

Convex mirror has only one mode of operation, independent of s

The mirror equation still works for convex mirrors.

$$\frac{1}{s} + \frac{1}{s'} = \frac{1}{f} \quad m = \frac{y'}{y} = -\frac{s'}{s}$$



Because C and the image are **not** on the side of the outgoing light, R , f and s' are **negative**.

Example: a convex rearview car mirror has a radius of curvature of 40 cm. Determine the location of the image and its magnification for an object 10 m from the mirror.

The ray diagram looks like the one on the previous slide, but with the object much further away (difficult to draw).

$$\frac{1}{s} + \frac{1}{s'} = \frac{1}{f}$$

$$\frac{1}{s'} = \frac{1}{f} - \frac{1}{s} = \frac{1}{-0.2 \text{ m}} - \frac{1}{10 \text{ m}}$$

Not on reflecting
side \Rightarrow negative.

On reflecting
side \Rightarrow positive.

$$\frac{1}{s'} = \frac{1}{-0.2 \text{ m}} - \frac{1}{10 \text{ m}}$$

...algebra...

$$s' = -0.196 \text{ m} = -19.6 \text{ cm}$$

$$m = -\frac{s'}{s} = -\frac{-0.196 \text{ m}}{10 \text{ m}} = \frac{1}{51}$$

Applications of convex mirrors.

Passenger side rear-view mirrors.

Grocery store aisle mirrors.

Railroad crossing mirrors.

Anti-shoplifting (surveillance) mirrors.

Christmas tree ornaments.



Summary: Image formation for Mirrors

Type	Focal length f	Object distance s	Image distance s'	Character	Orientation	Size
plane	∞	$s > 0$	$s' < 0$	virtual	upright	same
concave	$f > 0$	$s > 2f$	$f < s' < 2f$	real	inverted	reduced
		$f < s < 2f$	$s' > 2f$	real	inverted	enlarged
		$s < f$	$s' < 0$	virtual	upright	enlarged
convex	$f < 0$	$s > 0$	$s' < 0$	virtual	upright	reduced

Summary of Sign Conventions

Here's a summary of the mirror and lens (coming soon) sign conventions

Object Distance. When the object is on the same side as the incoming light, the object distance is positive (otherwise is negative).

Image Distance. When the image is on the same side as the outgoing light, the image distance is positive (otherwise is negative).

(negative image distance \Leftrightarrow virtual image)


(positive image distance \Leftrightarrow real image)

Radius of Curvature. When the center of curvature C is on the same side as the outgoing light, R is positive (otherwise is negative).

I really don't understand these ray diagrams!


If, like many students, you don't understand ray diagrams, the following supplementary (will not be covered in lecture) slides may help.

For a concave lens, the center of curvature and focal point are on the same side of the lens as the object.




Concave Mirror

Light coming from the object parallel to the axis will always reflect through F.




Concave Mirror

Light coming from the object and passing through F before it hits the mirror will always reflect parallel to the axis.




Concave Mirror

Light coming from the object and passing through C before it hits the mirror will always reflect back on itself.




Concave Mirror

Light coming from the object and striking the vertex will reflect off with an outgoing angle equal to the incoming angle. This is often more difficult to draw (unless you measure the angle).




Concave Mirror

For a convex lens, the center of curvature and focal point are on the opposite side of the lens as the object. Light from the object will never actually pass through C or F.




Convex Mirror

Light coming from the object parallel to the axis will always reflect back as if it had come from F.



Convex Mirror


Light coming from the object and directed at F will always reflect back parallel to the axis.



Follow the path of the light back "through" the mirror to see where it appears to have come from.

Convex Mirror


Light coming from the object and directed at C will always reflect back on itself.



Follow the path of the light back "through" the mirror to see where it appears to have come from.

Convex Mirror

Light coming from the object and striking the vertex will reflect back with an outgoing angle equal to the incoming angle. This is often more difficult to draw (unless you measure the angle).



Convex Mirror